

Product datasheet

Specifications



SpaceLogic KNX Presence Detector DI, white

MTN6300-0019

Main

Range	SpaceLogic KNX
Product or component type	Presence detector
Device application	Lighting
Bus type	KNX
Colour tint	White

Complementary

Device presentation	Complete product
Number of channels	2
Type of setting	Light sensitivity adjustable Time adjustment
Detection face	Radius: 4.5 m
Movement detection area	9 m
Presence detection area	9 m
Detection angle	360°
Material	Plastic matt
surface treatment	Untreated
Device mounting	Ceiling
Mounting height	2.5 m
Height	99.2 mm
Width	99.2 mm
Depth	74.1 mm
Embedding depth	60.8 mm

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	10.0 cm
Package 1 Length	10.0 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 1 Weight	345.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	18
Package 2 Height	29.2 cm
Package 2 Width	29.8 cm
Package 2 Length	39.8 cm
Package 2 Weight	8.2 kg
Unit Type of Package 3	P12
Number of Units in Package 3	432
Package 3 Height	106.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	218.5 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	14
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free product
PVC free	Yes

Use Longer

Lifetime extension

Repair	No
--------	----

Use Again

Repack and remanufacture

End of life manual availability	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative







