

Product datasheet

Specifications



KNX ARGUS 220, polar white

MTN632519

Price: 336.96 USD

Main

Range	KNX
Product or component type	Movement sensor
Bus type	KNX
Colour tint	Polar white
Colour code	RAL 9010

Complementary

Number of channels	5 20
Protection type	Creep zone protection
Type of setting	Light sensitivity adjustable
Duty cycle	9144 minutes
Time delay range	0...1 s (switch-on)
Detection face	Lateral: 16 m
Movement detection area	24 m
Horizontal detection angle	0...220 °
Device mounting	Surface
Mounting height	2.5 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.100 cm
Package 1 Width	14.400 cm
Package 1 Length	18.300 cm
Package 1 Weight	354.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	12
Package 2 Height	30.500 cm
Package 2 Width	34.400 cm
Package 2 Length	40.200 cm
Package 2 Weight	5.806 kg

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	14
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
Halogen-free status	Halogen free product
PVC free	Yes

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins